

QK  
1  
W44Z  
BOT

# WATSONIA

**THE JOURNAL OF  
THE BOTANICAL SOCIETY  
OF THE BRITISH ISLES**

VOLUME 28

EDITED BY

M. BRIGGS, J. R. EDMONDSON,  
M. S. PORTER, M. J. Y. FOLEY, M. N. SANFORD

2010

PRINTED FOR THE SOCIETY BY  
HENRY LING LIMITED, THE DORSET PRESS, DORCHESTER DORSET DT1 1HD

PUBLISHED AND SOLD BY THE BOTANICAL SOCIETY OF THE BRITISH ISLES,  
C/O DEPARTMENT OF BOTANY, THE NATURAL HISTORY MUSEUM, LONDON SW7 5BD

## DATES OF PUBLICATION

Part 1, pp. 1–102, 8 February 2010

Part 2, pp. 103–198, 2 August 2010

### *Errata*

p. 8	col. 2: bottom line	For: <i>vulgaris</i> read: <i>virgaurea</i>
p. 35	col. 1: line 18 up	For: <i>caespitosa</i> read: <i>cespitosa</i>
p. 37	table: line 2	For: <i>gerardii</i> read: <i>gerardi</i>
p. 77	col. 2: line 8	For: <i>caespitosa</i> read: <i>cespitosa</i>
p. 90	line 22	For: <b><i>Corallorrhiza</i></b> read: <b><i>Corallorhiza</i></b>
p. 100	col. 1: line 5 up	For: <i>echoides</i> read: <i>echioides</i>
p. 135	col. 2: line 14 up	For: <i>myrtilis</i> read: <i>myrtillus</i>
p. 139	table: line 1	For: <i>gerardii</i> read: <i>gerardi</i>

# INDEX

## WATSONIA VOLUME 28 (2010)

Prepared by C. R. Boon

- Abutilon theophrasti* (v.c. **H12**) 170  
*Acaena* 192; *anserinifolia* (v.c. **62**) 171  
*Acanthus mollis* (v.c. **46**) 94  
*Acer* 110, 178; *macrophyllum* (v.c. **62**) 93;  
*villosum* (v.c. **60**) 172  
*Aceras* 106  
*Achillia ptarmica* 36  
*Aconitum carmichaelii* (v.c. **101**) 169;  
*lycoctonum* subsp. *vulparia* (v.c. **62**) 169  
*Acorus calamus* 136  
*Adiantum capillus-veneris* (v.c. **H36**) 164  
*Aesculus* 110  
*Aethusa cynapium* 140, subsp. *agrestis* (v.c. **55**)  
167  
×*Agropogon lutosus* (v.c. **10**) 174  
*Agropyron* ×*acutum* 127; *pungens* 127; *pungens*  
× *junceiforme* 127; *repens* 83  
*Agrostis canina* 148; *capillaris* × *stolonifera*  
(v.c. **39**) 89; *curtisii* 125, 126; ×*murbeckii*  
(v.c. **39**) 89; *scabra* (v.c. **H38**) 174;  
*stolonifera* 36, 38, 154, 155; *vinealis* 142  
*Aira canescens* 125; *junceae* 125; *praecox* 125  
*Ajuga chalaepitys* 179  
Akeroyd, J.R. - *A beginner's guide to Ireland's*  
*wild flowers* (Bk Rev.) 97  
Akeroyd, J.R. - Rev. of *Wildflowers of Cork*  
*City and County* (by T. O'Mahony) 98-100  
*Alcea* 114  
*Alchemilla* 133; *glabra* 154  
*Alliaria* 115  
*Allium* 108; *carinatum* (v.c. **62**) 96; *paradoxum*  
30; *roseum* (v.c. **57**) 174; *subhirsutum* (v.c.  
**35**) 96, (v.c. **63**) 96; *triquetrum* (v.c. **55**)  
174, (v.c. **101**) 175; *ursinum* 30; *vineale* 135  
*Alnus cordata* (v.c. **45**) 91, (v.c. **H12**) 170;  
*glutinosa* 36, 148  
*Alopecurus geniculatus* 36  
*Alstroemeria* 108  
*Althaea* 113, 114; *hirsuta* 113, 114  
*Amaranthus blitum* (v.c. **55**) 170; *powellii* (v.c.  
**29**) 91; *retroflexus* (v.c. **67**) 170  
*Ambrosia artemisiifolia* (v.c. **H36**) 174  
*Amelanchier* 117, 118  
*Amphibromus* 110; *neesii* 111  
*Amsinckia micrantha* (v.c. **41**) 93  
*Anacamptis* 116, 118; *morio* 98, 105, 116;  
*pyramidalis* 116  
*Anagallis* 116, 118; *arvensis* 87; *minima* (v.c.  
**39**) 165; *tenella* 138  
*Anchusa azurea* (v.c. **39**) 93  
*Anemanthele lessoniana* (v.c. **62**) 96  
*Anemone apennina* (v.c. **H12**) 170; *nemorosa* 36  
*Angelica sylvestris* 5, 36, 161  
*Anisantha diandra* 21, 28; *tectorum* (v.c. **H12**)  
174  
*Anonia* 117  
*Antennaria dioica* 135, 138  
*Anthemis arvensis* (v.c. **41**) 89; *austriaca* (v.c.  
**55**) 174, (v.c. **H12**) 174  
*Anthoxanthum* 103; *odoratum* 36, 40, 148, 155  
*Anthriscus caucalis* 138, (v.c. **H36**) 166;  
*cerefolium* (v.c. **62**) 93; *sylvestris* var.  
*latisecta* 178, var. *sylvestris* 178  
*Anthyllis vulneraria* 178  
*Antirrhinum hispanicum* subsp. *hispanicum* (v.c.  
**60**) 172  
*Aphanes* 116  
*Apium* 111; *graveolens* 111; *inundatum* 135, 138  
*Aponogeton distachyos* (v.c. **44**) 95  
*Arabis hirsuta* 160  
*Arbutus unedo* 99  
*Arctium* 100  
*Arenaria serpyllifolia* subsp. *leptoclados* 140  
*Aria* 117, 118  
*Aria* × *Sorbus* × *Torminalis* 118  
*Aria* × *Sorbus* 118  
*Aria* × *Torminalis* 118  
*Armeria maritima* 36, 135  
*Armoracia* 112  
*Aronia* 118  
*Arrhenatherum elatius* 161  
*Artemisia* 100; *campestris* 182  
*Arum italicum* (v.c. **44**) 89, (v.c. **101**) 174, subsp.  
*italicum* (v.c. **62**) 95, (v.c. **113(S)**) 95  
*Asarina procumbens* (v.c. **39**) 172  
Ashton, P.A., with M. Dean - Ecology,  
distribution and fertility of *Carex recta*  
Boott (Cyperaceae) in the British Isles 33-42  
*Asplenium obovatum* subsp. *lanceolatum* (v.c.  
**101**) 164; *onopteris* 100  
*Aster* 192; *laevis* × *novi-belgii* (v.c. **67**) 173;  
×*salignus* 36; *tripolium* 36, (v.c. **81**) 89,  
135; ×*versicolor* (v.c. **67**) 173

- Astilbe xarensis* (v.c. **60**) 171; *japonica* × *chinensis* × *rosea* (v.c. **60**) 171
- Astragalus danicus* 81, 138, 179
- Atalaya* 110
- Athyrium filix-femina* 127, 148
- Atriplex glabriuscula* 36; *glabriuscula* × *longipes* (v.c. **H12**) 164; *laciniata* 135, 138; *littoralis* 135; *prostrata* 135, (v.c. **H36**) 164; *sagittata* (v.c. **18**) 91; ×*taschereaui* (v.c. **H12**) 164
- Atropa belladonna* (v.c. **67**) 167
- Aucuba japonica* (v.c. **62**) 172
- Avena sterilis* (v.c. **H36**) 174
- Avenochloa* 111
- Avenula* 111
- Ballota nigra* 138
- Barbarea verna* (v.c. **67**) 171
- Bassia scoparia* (v.c. **62**) 170
- Batrachium* 112, 113
- Berberis aggregata* (v.c. **81**) 90; *darwinii* (v.c. **113(S)**) 90
- Bergenia cordifolia* (v.c. **63**) 92; *crassifolia* (v.c. **89**) 171; *crassifolia* × *ciliata* (v.c. **29**) 92, (v.c. **63**) 92; ×*schmidtii* (v.c. **29**) 92, (v.c. **63**) 92
- Berwickshire (v.c. 81). Berwickshire's disappearing scarce plants 129-140
- Beta vulgaris* subsp. *maritima* (v.c. **81**) 86, 131, 135, subsp. *vulgaris* (v.c. **H12**) 164
- Betula nana* (v.c. **89**) 164
- Bibliography. Publications of P.F. Yeo (by M.C.F. Proctor & C.D. Preston) 193-198
- Blysmus compressus* 138; *rufus* 138
- Bolboschoenus maritimus* 36
- Book Reviews 97-101, 177-185
- Botrychium lunaria* 138, 184
- Brachypodium pinnatum* 79; *sylvaticum* 154, 161
- Braithwaite, M.E. - Berwickshire's disappearing scarce plants 129-140
- Braithwaite, M.E. - How well has BSBI chronicled the spread of neophytes? 21-31
- Brassica nigra* (v.c. **H36**) 165
- Breutelia chrysocoma* 5
- Briza media* 79
- Bromopsis erecta* 79; *inermis* (v.c. **35**) 95
- Bromus hordeaceus* subsp. *longipedicellata* (v.c. **39**) 90; *secalinus* (v.c. **39**) 90, (v.c. **41**) 90
- Bryum* 183
- BSBI. How well has BSBI chronicled the spread of neophytes? (Presidential Address) 21-31
- Buddleja* 109
- Bupleurum tenuissimum* (v.c. **41**) 87
- Butler, K. & Crossan, K. - *Wild flowers of the north highlands of Scotland* (Bk Rev.) 97
- Butomus umbellatus* 136
- Cakile maritima* 135, 138
- Calceolaria* 109
- Calendula officinalis* (v.c. **45**) 95
- Callitriche* 38, 107, 109; *stagnalis* 36
- Calluna vulgaris* 8, 142, 143, 154, 155
- Caltha palustris* 34, 36, 183
- Calystegia alpina* var. *regia* 60; *sepium* 36
- Camassia quamash* (v.c. **113(S)**) 96
- Camelina sativa* (v.c. **39**) 91
- Campanula garganica* (v.c. **62**) 94; *glomerata* 79; *latifolia* (v.c. **101**) 167; *persicifolia* (v.c. **67**) 172; *portenschlagiana* (v.c. **52**) 94; *rotundifolia* 79, 155; *trachelium* (v.c. **45**) 88
- Cardamine* 111, 112; *corymbosa* 28, (v.c. **55**) 171, (v.c. **H36**) 171; *pratensis* 36; *raphanifolia* (v.c. **57**) 91, (v.c. **81**) 91
- Carduus acanthoides* 100; *crispus* 100
- Carex* 34, 123; sect. *Phacocystis* 33, 35; *acuta* × *nigra* 169; *aquatilis* 33, 35, 36, 40, 41; *arenaria* 138; *atrata* 75, 76; *bicolor* 75; ×*boenninghausiana* (v.c. **10**) 168; *buchananii* (v.c. **H12**) 174; *capillaris* 76; *capitata* 76; *caryophyllea* 79; *dioica* 76, 135, 138; *distans* 138; *disticha* 76; *divisa* 76; *xelytroides* (v.c. **79**) 169; *extensa* 138, (v.c. **93**) 169; *flacca* 5, 79, 155; ×*grantii* 33-35, 39, 40; *laevigata* 138; *livida* 76, 77; *muricata* subsp. *lamprocarpa* 138, subsp. *muricata* (v.c. **23**) 89; *nigra* 36, 38; *norvegica* 77; *otrubae* 127; *otrubae* × *remota* (v.c. **44**) 89, (v.c. **10**) 169; *paleacea* 33; *pallescens* (v.c. **50**) 89, 138; *panicea* 76, 77; *paniculata* [(v.c. **48**)] 89; *paniculata* × *remota* (v.c. **10**) 168; *pendula* 136, 138; *pilulifera* (v.c. **29**) 89; ×*pseudoaxillaris* (v.c. **44**) 89, (v.c. **10**) 169; *recta* Boott (Cyperaceae) in the British Isles. Ecology, distribution and fertility of, 33-42, (map) 35; *remota* 138; *rostrata* 36, 38; *saxatilis* 77; *saxatilis* × *atrata* 76; *saxatilis* × *norvegica* 76; *spicata* (v.c. **80**) 169, (v.c. **89**) 169; ×*spiculosa* 38; *vaginata* 76; *vesicaria* 138; *viridula* 100, 127

- Carlina vulgaris* 79  
*Cassinia* 101  
*Catabrosa aquatica* 131, 135, 140  
 Catalán, P. - Rev. of *Grasses of the British Isles* (by T. Cope & A. Gray) 180  
*Caucalis latifolia* 157; *platycarpus* - a vanished archaeophyte 157-159, (map) 158  
*Cedrus deodara* (v.c. **91**) 169, (v.c. **93**) 169; *libani* (v.c. **55**) 169  
*Centaurea* 193; *cyanus* (v.c. **46**) 88, 140; *nigra* 36, 154, 155  
*Centaureum erythraea* (v.c. **106**) 88, 138, (v.c. **79**) 167, 179; *intermedium* 179; *litorale* 179  
*Centranthus* 134  
*Centunculus* 118  
*Cephalanthera longifolia* (v.c. **47**) 90; *rubra* 98  
*Cerastium fontanum* 36; *semidecandrum* 138  
*Ceratocephala* 112, 113  
*Ceratophyllum demersum* (v.c. **79**) 164  
*Cerinth major* (v.c. **29**) 93, 'Purpurascens' 93  
*Chaenomeles* 117  
*Chaenorhinum origanifolium* (v.c. **29**) 94, (v.c. **62**) 172  
*Chamaemelum nobile* (v.c. **10**) 168  
*Chamaespilus* 117, 118  
*Chamerion angustifolium* 36  
*Chelidonium majus* 140, (v.c. **101**) 164  
*Chenopodium quinoa* (v.c. **91**) 170; *strictum* (v.c. **10**) 170; *suecicum* (v.c. **H36**) 170  
 Chromosome number. *Cochlearia atlantica* 159  
*Chrysanthemum segetum* 140  
*Cicerbita alpina* 65  
*Cichorium intybus* (v.c. **H36**) 167  
*Cicuta virosa* 138  
*Circaea* 116; *xintermedia* (v.c. **41**) 87; *lutetiana* × *alpina* (v.c. **41**) 87  
*Cirsium acaule* 79; *xcelakovskianum* (v.c. **52**) 88, (v.c. **81**) 88; *heterophyllum* 138; *palustre* × *arvense* (v.c. **52**) 88, (v.c. **81**) 88  
*Citrus* 116  
*Cladium* 185  
*Claytonia sibirica* 29  
*Clematis montana* (v.c. **H12**) 170  
*Clinopodium vulgare* 138  
*Cochlearia anglica* 36; *atlantica* Pobed. A chromosome number for, 159; *danica* 24, 135; *megalosperma* (v.c. **81**) 91; *officinalis* 36; *pyrenaica* 159, subsp. *alpina* 59  
*Coeloglossum* 104, 119  
*Colchicum* 108; *autumnale* 182  
*Conringia orientalis* (v.c. **39**) 91  
*Convallaria majalis* (v.c. **81**) 90  
*Convolvulus arvensis* 140  
*Conyza* 100; *canadensis* 22, (map) 22, (v.c. **113 (S)**) 95; *sumatrensis* (v.c. **62**) 95  
 Cope, T. - *The wild flora of Kew Gardens: a cumulative checklist from 1759* (Bk Rev.) 179-180  
 Cope, T. & Gray, A. - *Grasses of the British Isles* (Bk Rev.) 180  
*Coprosma* 116  
*Corallorhiza trifida* (v.c. **106**) 90, 138  
*Cordyline australis* (v.c. **63**) 96  
*Cormus* 107, 117, 118  
*Cornus sanguinea* subsp. *australis* (v.c. **57**) 93  
*Coronopus* 115; *didymus* (v.c. **91**) 165  
*Cortaderia richardii* (v.c. **H12**) 174  
*Corylus* 165; *avellana* 142  
*Corynephorus canescens* 125  
*Cotoneaster* 117, 118; 181; *Cotoneasters* (by J. Fryer & B. Hylmö) (Bk Rev.) 181; *bullatus* 181; *cambricus* 181; *congestus* (v.c. **46**) 92; *fanganus* (v.c. **29**) 92; *mairei* (v.c. **62**) 92, (v.c. **39**) 171; *marginatus* (v.c. **89**) 171; *rehderi* (v.c. **93**) 171; *salicifolius* (v.c. **89**) 171; *vestitus* (v.c. **29**) 92  
 County Tyrone. *Flora of County Tyrone* (by I. McNeill (with P. Hackney)) (Bk Rev.) 183-184  
*Crambe hispanica* (v.c. **H36**) 171  
*Crassula tillaea* (v.c. **46**) 87  
*Crataegus* 117, 118, 181; *crus-galli* (v.c. **50**) 92; *monogyna* 79; *persimilis* (v.c. **55**) 171  
*Crepis* 101; *capillaris* 36; *mollis* 101; *paludosa* 36, 142, 154, 160, 161; *setosa* (v.c. **H12**) 173  
*Crococsmia paniculata* (v.c. **49**) 96; *chrysanthus* × *biflorus* (v.c. **62**) 175; *tommasinianus* (v.c. **101**) 175; *vernus* (v.c. **49**) 96; *vernus* × *tommasinianus* (v.c. **62**) 175  
 Crossan, K., with K. Butler - *Wild flowers of the north highlands of Scotland* (Bk Rev.) 97  
*Cryptogramma crispa* 135, 138  
*Ctenidium molluscum* 5, 142  
*Cucurbita pepo* (v.c. **62**) 91  
*Cyathea regia* 57, 59, 60  
*Cyclamen coum* (v.c. **63**) 91  
*Cydonia* 117  
*Cymbalaria hepaticifolia* (v.c. **46**) 94  
*Cynosurus cristatus* 36, 40  
*Cyperus eragrostis* (v.c. **35**) 95; *fuscus* [(v.c. **8**)] 89; *longus* (v.c. **47**) 89  
*Cypripedium* 103; *calceolus* 180

- Cystopteris* 57, 59-61; *alpina* (Lamarck) Desvauz; Woodsiaceae. The British records of, 57-63, (illus.) 58, f. *dissecta* 57, 61, f. *obtusata* 57, var. *alpina* 57, 61, var. *deltoides* 57, var. *dissecta* 57, var. *obtusata* 57, var. *regia* 57; *angustata* 61; *dentata* 61; *diaphana* 61, (v.c. 49) 90; *dickieana* 60, 61; *fragilis* 57-62, var. *angustata* 59-62, var. *dentata* 61; *regia* 57, 59-61; *sempervirens* 90
- Dactylis glomerata* 161
- Dactylorhiza* 98, 104, 116, 119; *carnea* (v.c. 93) 169; *incarnata* 138; *lapponica* 100; *maculata*  $\times$  *incarnata* (v.c. 93) 169
- Daucus carota* 155
- Dean, M. & Ashton, P.A. - Ecology, distribution and fertility of *Carex recta* Boott (Cyperaceae) in the British Isles 33-42
- Deschampsia cespitosa* 35, 36, 148; *flexuosa* 36, 142, 143; *setacea* 125, 126
- Dianthus armeria* 100; *barbatus* (v.c. 44) 91; *deltoides* 138, (v.c. 60) 170
- Digitalis* 109; *lutea* (v.c. 57) 172
- Diphasiastrum alpinum* 130, 135
- Diplotaxis tenuifolia* (v.c. 81) 87, 127
- Dipsacus fullonum* 136
- Ditrichum gracile* 5
- Dorycnium mixtum* (v.c. 23) 93
- Drosera rotundifolia* 125, 138
- Dryas octopetala* 5
- Dryopteris affinis* subsp. *borreri* (v.c. 106) 86, subsp. *cambrensis* (v.c. 62) 86, (v.c. 5) 164; *xambroseae* (v.c. 62) 86; *carthusiana*  $\times$  *dilatata* (v.c. 106) 86; *carthusiana*  $\times$  *expansa* (v.c. 62) 86; *xdevereri* (v.c. 106) 86; *dilatata* 8, 148; *dilatata*  $\times$  *expansa* (v.c. 62) 86; *filix-mas* 148; *xsarvelae* (v.c. 62) 86
- Echinochloa crus-galli* (v.c. H36) 174
- Echium plantagineum* (v.c. H36) 172
- Edgington, J.A. - The first British record of *Nardus stricta* L. (Poaceae) 123-127
- Edmondson, J.R. - Rev. of *The wild flora of Kew Gardens: a cumulative checklist from 1759* (by T. Cope) 179-180
- Edmondson, J.R. - Rev. of *Wild flowers of the north highlands of Scotland* (by K. Butler & K. Crossan) 97
- Eleocharis palustris* 36; *quinqueflora* 135, 138; *uniglumis* 36
- Elodea nuttallii* (v.c. 91) 174
- Elytrigia repens* 36, 82
- Empetrum nigrum* 135
- Epilobium* 116; *brunnescens* 136; *ciliatum* 27; *xdacicum* (v.c. 29) 87, [(v.c. 46)] 87; *hirsutum*  $\times$  *parviflorum* (v.c. H12) 166; *xlimosum* (v.c. 29) 87; *xpalatinum* (v.c. 46) 87; *palustre* 36; *parviflorum*  $\times$  *montanum* (v.c. 29) 87; *parviflorum*  $\times$  *obscurum* (v.c. 29) 87, [(v.c. 46)] 87; *parviflorum*  $\times$  *tetragonum* (v.c. 46) 87; *roseum* 138; *xsubhirsutum* (v.c. H12) 166; *tetragonum* (v.c. H12) 166
- Epipactis helleborine* 98; *phyllanthes* 98, (v.c. 39) 169
- Equisetum arvense*  $\times$  *palustre* (v.c. 62) 86, (v.c. 89) 164; *fluviatile* 36; *fluviatile*  $\times$  *telmateia* (v.c. 101) 164; *palustre* 36; *xrothmaleri* (v.c. 62) 86, (v.c. 89) 164; *telmateia* 164; *xwillmotii* (v.c. 101) 164
- Erica cinerea* 8, 142, 155
- Erigeron glaucus* (v.c. 29) 95
- Erinus* 109
- Eriophorum* 123; *angustifolium* 125; *latifolium* 138, (v.c. H36) 168
- Erodium cicutarium* 138
- Erophila majuscula* 138
- Eruca vesicaria* (v.c. H36) 171
- Escallonia*  $\times$  *langleyensis* (v.c. 63) 92; *macrantha*  $\times$  *virgata* (v.c. 63) 92
- Eucalyptus* 178
- Euonymus japonicus* (v.c. 29) 93
- Euphorbia dulcis* (v.c. 62) 93; *maculata* (v.c. 55) 172; *serrulata* (v.c. 49) 87
- Euphrasia* 192; *anglica*  $\times$  *nemorosa* (v.c. 48) 88; *arctica*  $\times$  *nemorosa* (v.c. 67) 167; *hibernica* 179; *notata* 179; *officinalis* subsp. *monticola*  $\times$  *confusa* (v.c. 67) 167; *reayensis* 179; *salisburgensis* 179; *scottica* 138
- Fagopyrum tataricum* (v.c. H12) 170
- Fallopia sachalinensis* (v.c. 91) 170
- Fatsia japonica* (v.c. 29) 93
- Ferula communis* (v.c. 18) 93
- Festuca* 113-115, 169, 180; *arundinacea* 36, 114; *arundinacea*  $\times$  *gigantea* (v.c. 10) 169; *xfleischeri* (v.c. 10) 169; *gigantea* 114; *longifolia* 182; *ovina* 79, 148, subsp. *hirtula* (v.c. 39) 89, (v.c. 67) 169, subsp. *ovina* (v.c. 67) 169; *pratensis* 114; *rubra* 36, 155, 161, subsp. *juncea* (v.c. 39) 89, subsp. *litoralis* (v.c. 62) 89
- Festuca arundinacea*  $\times$  *Lolium multiflorum* (v.c. 39) 89

- Festuca arundinacea* × *Lolium perenne* (v.c. **H36**) 169  
 × *Festulolium holbergii* (v.c. **H36**) 169  
*Ficaria* 111-113  
*Ficus carica* (v.c. **48**) 91, (v.c. **67**) 170  
*Filago minima* 138; *vulgaris* 140  
*Filipendula ulmaria* 35, 36, 154  
 Fisk, R.J., with M.N. Sanford - *A Flora of Suffolk* (Bk Rev.) 182-183  
 Foley, M.J.Y. - Further notes on some of J.H. Penson's Scottish records 75-77  
*Frangula alnus* (v.c. **44**) 87  
*Frankenia laevis* (v.c. **62**) 87  
*Fraxinus* 87; *excelsior* 142  
*Fritillaria meleagris* (v.c. **101**) 169, 182  
*Fruillania tamarisci* 161  
 Fryer, J. & Hylmö, B. - *Cotoneasters* (Bk Rev.) 181  
*Fuchsia magellanica* (v.c. **55**) 172  
*Fumaria capreolata* (v.c. **81**) 86; *densiflora* (v.c. **10**) 164; *officinalis* subsp. *officinalis* (v.c. **91**) 164, (v.c. **93**) 164, subsp. *officinalis* var. *officinalis* 164, subsp. *wirtgenii* 140, (v.c. **62**) 164; *purpurea* 140; *reuteri* (v.c. **10**) 170, (v.c. **101**) 170; *vallantii* (v.c. **10**) 164  
*Gagea* 108  
*Galinsoga* 21, 26-28, 30; *parviflora* (diag.) 26, 27, (diag.) 27; *quadriradiata* (diag.) 26, 27, (diag.) 27  
*Galium* 116; *aparine* 36, 79; *boreale* 138; *mollugo* 138; *palustre* 36; *parisiense* (v.c. **57**) 167; *saxatile* 148; *spurium* (v.c. **41**) 94; *verum* 79, 161  
 Geddes, C. & Miller, G.R. - Long-term changes in the size of an Alpine Gentian, *Gentiana nivalis* L., population in Scotland 65-73  
*Genista anglica* 135, 138  
*Gentiana nivalis* L., population in Scotland. Long-term changes in the size of an Alpine Gentian, 65-73, (diag.) 67, (diag.) 68; *verna* 179  
*Gentianella amarella* 105, 179, subsp. *septentrionalis* (v.c. **106**) 88; *anglica* 105, 179; *campestris* (v.c. **41**) 88; *cornubiensis* 179; *uliginosa* 179  
*Geranium* 192; 'Johnson's Blue' (v.c. **63**) 93; *lucidum* 135, 140; *macrorrhizum* (v.c. **101**) 172; *pratense* × *himalayense* (v.c. **63**) 93; *procurrens* (v.c. **45**) 93; *purpureum* 99, 100; *pusillum* 131, 135; *pyrenaicum* (v.c. **101**) 172; *sanguineum* var. *lancastrienae* 179  
*Geum rivale* 161; *urbanum* 29  
*Glaucium flavum* 135, 138  
*Glaux maritima* 36, 135, 138  
*Glyceria maxima* 136  
*Gnaphalium norvegicum* 65  
 Godfrey, M.F. - A chromosome number for *Cochlearia atlantica* Pobed. 159  
*Goodyera repens* 116, 138  
 Gray, A., with T. Cope - *Grasses of the British Isles* (Bk Rev.) 180  
 Green, Peter Shaw, (1920-2009) (Obit.) 190-191, (illus.) 190  
*Gunnera tinctoria* (v.c. **93**) 171, (v.c. **101**) 171  
*Gymnadenia* 116; *conopsea* 138  
 Hackney, P., with I. McNeill - *Flora of County Tyrone* (Bk Rev.) 183-184  
*Hammarbya paludosa* (v.c. **89**) 169  
 Harrap, A. & Harrap, S. - *Orchids of Britain and Ireland - a field and site guide*. 2nd ed. (Bk Rev.) 97-98  
 Harrap, S. - *Flowers of the Norfolk Broads* (Bk Rev.) 185  
 Harrap, S., with Harrap, A. - *Orchids of Britain and Ireland - a field and site guide*. 2nd ed. (Bk Rev.) 97-98  
*Hebe* 109; *elliptica* × *speciosa* (v.c. **48**) 94; × *franciscana* (v.c. **48**) 94  
*Hedera helix* 155  
*Helianthemum nummularium* 79  
*Helictotrichon* 111; *pratense* 79  
*Helleborus argutifolius* (v.c. **89**) 169  
*Helminthotheca echioides* 100  
*Helosciadium* 111  
*Heracleum mantegazzianum* (v.c. **10**) 172, 179; *sphondylium* 36  
*Herniaria glabra* (v.c. **55**) 164  
*Hieracium* 1, 2, 5, 8, 9, 101, 129, 141-143, 151, 153, 160, 181; section *Alpestris*: *Hieracium mirandum* and *H. solum* (Asteraceae). Conservation status of two British members of, 141-144; sect. *Cerinthoidea* 2, 160; sect. *Oreadea* 2; sect. *Subalpina* 160; sect. *Tridentata* 2; sect. *Vulgata* 145, 151; *adlerzii* 145; *anglicum* 2, 5, 155, 160, var. *cerinthiforme* f. *hartii* 1, 2, var. *hartii* 1, 2; *anglorum* (v.c. **62**) 168; *angustisquamum* (v.c. **62**) 168; *apiculatidens* (v.c. **62**) 168; *argentatum* 1; *argenteum* 2, 5, (illus.) 6, 8, 10, (v.c. **93**) 168; *argillaceum* 145, (v.c. **62**) 168; *aterrimum* (v.c. **62**) 173; *aviicola* (v.c. **44**) 88, (v.c. **62**) 173; *basalticola* 1, 10; *breadalbanense* 160; *britanniforme* 160,

- 161; *caesium* subsp. *adlerzii* var. *subminutidens* 145; *cerinthiforme* 2, 5, 9, var. *hartii* 1, 2; *clivicola* (v.c. **44**) 89; *consociatum* 145, (v.c. **62**) 168; *cravoniense* 160; *daedalolepioides* 145, (v.c. **62**) 168; *decolor* (v.c. **62**) 168; *diaphanum* 145; *dicella* 160; *eucallum* 160; *firmirarum* (v.c. **62**) 173; *flocculosum* 155; *hartii* and *H. hibernicum* (Asteraceae). Conservation of Ireland's biodiversity: the status of two Irish endemic hawkweeds, 1-10, (illus.) 3, (illus.) 4, (map) 9; *hebridense* 160, 161; *hesperium* 1, 10; *hibernicum* (Asteraceae). Conservation of Ireland's biodiversity: the status of two Irish endemic hawkweeds *Hieracium hartii* and, 1-10, (illus.) 6, (illus.) 7, (illus.) 8, (map) 9, var. *vennicniorum* 2; *inaequilaterum* (v.c. **62**) 168; *iricum* 2, 5, 8, 9; *kintyricum*, Claret-leaved Hawkweed (Asteraceae). Taxonomy and conservation status of *Hieracium vinifolium*, including, 151-156, (illus.) 153, (map) 155; *mirandum* and *H. solum* (Asteraceae). Conservation status of two British members of *Hieracium* section *Alpestris*, 141-144, (map) 143; *mougeotii* subsp. *anglicum* var. *cerinthiforme* f. *hartii* 1; *nemophilum* (v.c. **62**) 168; *norvegicum* subsp. *hibernicum* 2; *oenophyllum* 160; *petrocharis* 160; *pictorum* 160; *pollichiae* [(v.c. **46**)] 88, 95; *prominentidens* (v.c. **62**) 168; *rhomboides* 160; *rubicundiforme* 155, 160; *rubiginosum* 151, 155; *sabaudum* 142, 145; *salticola* (v.c. **62**) 173; *scabrisetum* 145; *scanicum* (v.c. **44**) 88; *scotostictum* (v.c. **44**) 88, (v.c. **62**) 173; *scullyi* 1, 10, E.F. Linton (Asteraceae). Lectotypification of, 162; *severiceps* (v.c. **62**) 173; *silvaticoides* (v.c. **62**) 168; *solum* (Asteraceae). Conservation status of two British members of *Hieracium* section *Alpestris*: *Hieracium mirandum* and, 141-144, (map) 143; *sparsifrons* 1, 10; *spilophaeum* 88, (v.c. **46**) 95, (v.c. **62**) 173; *stewartii* 8; *subaequialtum* (v.c. **62**) 173; *subcrassum* 142; *subcrocatum* 145; *subhirtum* 160; *sublepidoides* (v.c. **62**) 173; *subminutidens*, Llanwrytyd Hawkweed (Asteraceae). Conservation of Britain's biodiversity: status of the Welsh endemic, 145-149, (illus.) 147, (map) 148; *subrubicundum* 155; *sylvularum* (v.c. **44**) 89; *thalassinum* (Asteraceae), Hairy-bracted Hawkweed. Conservation of Britain's biodiversity: status of, 160-161; *trichocaulon* 145; *tricolorans* (v.c. **62**) 168; *uiginskyense* 145, (v.c. **62**) 168; *umbellatum* 145; *vinifolium* (including *H. kintyricum*), Claret-leaved Hawkweed (Asteraceae). Taxonomy and conservation status of, 151-156, (illus.) 153, (map) 155; *virgultorum* (v.c. **44**) 88; *vulgatum* 142, 154
- Himantoglossum* 116
- Hippuris* 109; *vulgaris* (v.c. **47**) 88, 138
- Holcus* × *hybridus* (v.c. **55**) 169; *lanatus* 36, 38, 148, 161; *lanatus* × *mollis* (v.c. **55**) 169; *mollis* 36, 148
- Honckenya peploides* 138
- Hordeum murinum* 135, 140
- Houttuynia cordata* (v.c. **46**) 90
- Huperzia selago* (v.c. **81**) 86
- Hyacinthus orientalis* (v.c. **46**) 96, (v.c. **39**) 174
- Hydrocharis morsus-ranae* (v.c. **47**) 89
- Hydrocotyle* 108; *vulgaris* 36, 125
- Hylmö, B., with J. Fryer - *Cotoneasters* (Bk Rev.) 181
- Hypericum androsaemum* 154; *androsaemum* × *hircinum* (v.c. **101**) 170; *calycinum* (v.c. **H36**) 170; *canadense* (v.c. **H27**) 170; *forrestii* (v.c. **101**) 170; *humifusum* 140; *humifusum* × *linariifolium* (v.c. **46**) 87; *xinodorum* (v.c. **101**) 170; *linariifolium* 87; *maculatum* 138; *pulchrum* 154
- Hypochaeris radicata* 154, 155, 161
- Iris germanica* (v.c. **52**) 96, (v.c. **81**) 96; *pseudacorus* 36
- Isoethecium myosuroides* 161
- Jacobaea* 118
- Jasione montana* 155
- Jasminum* 190, 191; *beesianum* (v.c. **62**) 93
- Jeeves, M. - Obit. of Michael Walpole (1933-2009) 187-189
- Jefferson, R.G. & Walker, K.J. - An overlooked population of *Pulsatilla vulgaris* Mill. in South Lincolnshire (v.c. 53) 79-81
- Juglans regia* (v.c. **48**) 91
- Juncus* 44, 53, 123, sect. *Juncotypus* 53, subgen. *Genuini* 43, 53; *ambiguus* 135; *articulatus* 36; *articulatus* × *acutiflorus* 44, (v.c. **39**) 89, (v.c. **62**) 89; *balticus* × *effusus* 44; *balticus* × *inflexus* 44; *bufonius* 36, 183; *conglomeratus* 43-45, 47-55, (illus.) 47, var. *laxus* 43, var. *subglomeratus* 55, var. *subuliflorus* 43, 55; *conglomeratus* × *efusus* 54; × *diffusus* Hoppe and J. × *kern-reichgeltii* Jansen & Wacht. ex Reichg. A novel approach to the determination and identification of, 43-56, (illus.) 50; *effusus* 37, 38, 43, 45, (illus.)



- 46, 48-55, var. *subglomeratus* 43, 45; *effusus* × *conglomeratus* (v.c. **44**) 89; *effusus* subsp. *solutus* × *pylaei* 54; *foliosus* (v.c. **H36**) 168, 183; *gerardi* 37, 139; *inflexus* 43-45, (illus.) 46, 50, 51, 54; *inflexus* × *conglomeratus* 43; *inflexus* × *effusus* 44; ×*kern-reichgeltii* Jansen & Wacht, ex Reichg. A novel approach to the determination and identification of *Juncus* ×*diffusus* Hoppe and, 43-56, (diag.) 48, (diag.) 49, (illus.) 50, (v.c. **44**) 89; ×*obotritorum* 44; *pylaei* 53, 54; ×*surrejanus* 44, 56, (v.c. **39**) 89, (v.c. **62**) 89; *tenuis* (v.c. **10**) 174
- Juniperus communis* L. Variation in ripening years of seed cones of, 11-19, (illus.) 13; subsp. *communis* (v.c. **52**) 86, 135, subsp. *hemispherica* 86, subsp. *nana* 17, 86; *virginiana* 18
- Kickxia elatine* (v.c. **48**) 88
- Knautia macedonica* (v.c. **63**) 94
- Koeleria macrantha* 79
- Koelreuteria* 110
- Lactuca* 126; *serriola* 123, 127; *virosa* 127, 139
- Lamium amplexicaule* 179; *confertum* (v.c. **101**) 167
- Lang, D.C. - Rev. of *Orchids of Britain and Ireland - a field and site guide*. 2nd ed. (by A. Harrap & S. Harrap) 97-98
- Lathraea* 109
- Lathyrus grandiflorus* (v.c. **H36**) 171; *latifolius* (v.c. **H12**) 171
- Laurus nobilis* (v.c. **48**) 90
- Lavatera* 113-115; *arborea* 113, 114; *cretica* 113, 114; *olbia* 114; *plebia* 114; *trimestris* 113, 114
- Leiocolea alpestris* 5
- Lemna gibba* (v.c. **52**) 89; *minor* 30; *minuta* 30, (v.c. **81**) 95, (v.c. **91**) 174, (v.c. **H36**) 174; *trisulca* 139
- Leontodon hispidus* 79
- Lepidium* 115
- Leucanthemella serotina* (v.c. **39**) 174
- Leucanthemum paludosum* (v.c. **H12**) 174
- Leucojum* 108; *vernum* (v.c. **89**) 175
- Levisticum officinale* (v.c. **44**) 93
- Leycesteria formosa* (v.c. **81**) 94
- Leymus arenarius* 139
- Ligusticum scoticum* 179
- Lilium martagon* (v.c. **101**) 174, var. *album* 174; *pyrenaicum* (v.c. **H36**) 174
- Limosella* 109
- Linaria* 107-109; *aeruginea* (v.c. **29**) 94
- Linnaea borealis* 101, 139
- Linum catharticum* 79; *usitatissimum* (v.c. **H36**) 172
- Liparis loeselii* 185
- Listera ovata* 139
- Littorella* 109; *uniflora* 37, 139
- Lloydia* 108
- Lobelia dortmanna* 184
- Lolium* 115, 169; *multiflorum* 114; *perenne* 37, 40, 114
- Lonicera japonica* (v.c. **62**) 173, (v.c. **H12**) 173; *periclymenum* 155; *xylosteum* (v.c. **46**) 94
- Lotus corniculatus* 79, 154, 155; *pedunculatus* 37
- Lucas, G. - Obit. of Peter Shaw Green (1920-2009) 190-191
- Lunaria rediviva* (v.c. **35**) 91
- Lupinus arboreus* 183
- Luronium natans* (v.c. **39**) 89, 185
- Luzula* 53, 123
- Lychnis chalcedonica* (v.c. **41**) 91; *coronaria* (v.c. **45**) 91, (v.c. **H12**) 170
- Lycium* 183
- Lycopodium annotinum* (v.c. **106**) 86; *clavatum* 130, 135, 140
- Lysichiton americanus* (v.c. **52**) 95
- Lysimachia* 118; *nemorum* 118; *vulgaris* 136
- Lythrum hyssopifolia* (v.c. **49**) 87; *portula* 136, 140; *salicaria* 37
- Malus* 116-118, 181; *hupenhensis* (v.c. **101**) 171
- Malva* 113-115, 119; *alcea* (v.c. **10**) 170; *cretica* 113, 114; *moschata* 113, 114, 135; *neglecta* 114; *nicaeensis* 114; *sylvestris* 113, 114
- Matricaria discoidea* 87; *recutita* 25, (diag.) 25, 30, 135, (v.c. **101**) 168, (v.c. **H36**) 168
- Matteucia struthiopteris* (v.c. **91**) 169
- McAllister, H.A. - Rev. of *Cotoneasters* (by J. Fryer & B. Hylmö) 181
- McCosh, D.J., with T.C.G. Rich - Conservation status of two British members of *Hieracium* section *Alpestris*: *Hieracium mirandum* and *H. solum* (Asteraceae) 141-144
- McCosh, D.J., with T.C.G. Rich - Taxonomy and conservation status of *Hieracium vinifolium* (including *H. kintyricum*), Claret-leaved Hawkweed (Asteraceae) 151-156

- McCosh, D.J., with T.C.G. Rich & I. Teesdale - Conservation of Britain's biodiversity: status of *Hieracium thalassinum* (Asteraceae), Hairy-bracted Hawkweed 160-161
- McCosh, D.J., with T.C.G. Rich *et al.* - Conservation of Ireland's biodiversity: the status of two Irish endemic hawkweeds *Hieracium hartii* and *H. hibernicum* (Asteraceae) 1-10
- McNeill, I. (with P. Hackney) - *Flora of County Tyrone* (Bk Rev.) 183-184
- Medicago falcata* 183; *intertexta* (v.c. **91**) 171; *laciniata* (v.c. **57**) 92; *lupulina* 79; *minima* (v.c. **57**) 87; *sativa* (v.c. **91**) 166, subsp. *varia* (v.c. **80**) 166
- Melampyrum sylvaticum* 179
- Melica altissima* (v.c. **29**) 95, 'Atropurpurea' 95; *uniflora* 139
- Melilotus indicus* (v.c. **91**) 171
- Mentha aquatica* 37; *arvensis* 139; *requienii* (v.c. **50**) 93; *xrotundifolia* (v.c. **101**) 172; *spicata* × *suaveolens* (v.c. **81**) 93, (v.c. **101**) 172; *suaveolens* × *longifolia* (v.c. **101**) 172; *xvillosa* (v.c. **101**) 172, var. *alopecuroides* (v.c. **81**) 93, 172
- Menyanthes trifoliata* 37, 125
- Mercurialis annua* (v.c. **50**) 87, (v.c. **H36**) 166
- Mespilus* 117, 118
- Mibora minima* 125
- Microthlaspi* 115
- Milium effusum* 139
- Miller, G.R., with C. Geddes - Long-term changes in the size of an Alpine Gentian, *Gentiana nivalis* L., population in Scotland 65-73
- Mimulus* 109; *cupreus* × *M. xsmithii* (v.c. **H12**) 172; *guttatus* (v.c. **101**) 172; *xhybridus* (v.c. **H12**) 172
- Minuartia verna* 59
- Molinia* 55; *caerulea* 148, subsp. *arundinacea* 139
- Monotropa hypopitys* (v.c. **67**) 165
- Montia fontana* 37, subsp. *amporitana* (v.c. **45**) 86, subsp. *minor* 135, 139, subsp. *variabilis* 139
- Moss, B. - Rev. of *Flowers of the Norfolk Broads* (by S. Harrap) 185
- Murrell, G., with P.D. Sell - *Flora of Great Britain and Ireland*, Vol. 3. Mimosaceae - Lentibulariaceae (Bk Rev.) 178-179
- Murrell, G., with P.D. Sell - *Flora of Great Britain and Ireland*, Vol. 4. Campanulaceae - Asteraceae (Bk Rev.) 100-101
- Mycelis muralis* 135, 139
- Myosotis ramosissima* 139, (v.c. **101**) 167; *scorpioides* 37; *scorpioides* × *laxa* (v.c. **47**) 88; *xszuzae* (v.c. **47**) 88; *sylvatica* (v.c. **H12**) 167
- Myosoton aquaticum* (v.c. **H36**) 164
- Myosurus* 112, 113
- Narcissus* 108; *poeticus* (v.c. **89**) 175, (v.c. **101**) 175
- Nardus stricta* L. (Poaceae). The first British record of, 123-127
- Narthecium* 108
- Nasturtium* 105, 111, 112
- Nectaroscordum siculum* (v.c. **55**) 175
- Nelson, E.C. - Rev. of *A beginner's guide to Ireland's wild flowers* (by J. Akeroyd) 97
- Nelson, E.C. - Rev. of *Flora of County Tyrone* (by I. McNeill (with P. Hackney)) 183-184
- Nemesia strumosa* (v.c. **39**) 94
- Neotinea* 98, 116; *maculata* 99, (v.c. **H27**) 169; *ustulata* 105, var. *aestivalis* 98, var. *serotina* 98
- Nicotiana alata* × *forgetiana* (v.c. **62**) 93; *glauca* (v.c. **29**) 93; *xsanderae* (v.c. **62**) 93
- Noccaea* 115
- Norfolk. *Flowers of the Norfolk Broads* (by S. Harrap) (Bk Rev.) 185
- Notes 79-84, 157-162
- Nuphar lutea* 139
- Nymphaea* 105; *alba* 105, 183; *candida* 105
- Nymphoides peltata* (v.c. **47**) 88
- Obituaries 187-198
- Odontites jaubertianus* subsp. *jaubertianus* (v.c. **19**) 94
- Oenanthe crocata* 37, 96
- O'Mahony, T. - *Wildflowers of Cork City and County* (Bk Rev.) 98-100
- Ononis repens* 179; *spinosa* subsp. *procurrens* 179
- Ophioglossum* 110; *vulgatum* 139
- Ophrys* 116; *apifera* 98
- Orchis* 106, 116, 118; *laxiflora* 116; *mascula* 116; *morio* 116; *purpurea* 90; *purpurea* × *simia* (v.c. **23**) 90; *ustulata* 116
- Orlaya daucooides* 157; *grandiflora* 157
- Ornithogalum* 108
- Orobanche* 109; *elatior* (v.c. **10**) 167; *hederae* (v.c. **62**) 167; *purpurea* 179
- Osteospermum jucundum* (v.c. **46**) 95

- Oxalis debilis* (v.c. **81**) 93; *exilis* (v.c. **101**) 172; *tetraphylla* (v.c. **62**) 172  
*Ozothamnus* 101
- Pachyphragma* 115  
*Papaver pseudoorientale* (v.c. **62**) 91  
*Parapholis incurva* 127; *strigosa* 135  
*Parentucellia viscosa* (v.c. **101**) 167  
*Parietaria judfacia* (v.c. **80**) 164  
*Paris* 108, 116  
*Parnassia* 107; *palustris* 135, 161  
*Pastinaca sativa* (v.c. **H36**) 167  
*Paulownia* 109  
Pearman, D.A. - *Caucalis platycarpus* - a vanished archaeophyte 157-159  
*Pedicularis palustris* 37; *sylvatica* 125  
*Peltaria* 115; *alliacea* [(v.c. **81**)] 91  
Penson, J.H., Scottish records. Further notes on some of, 75-77  
*Persicaria amplexicaulis* (v.c. **89**) 170; *lapathifolia* 140; *mitis* (v.c. **39**) 165  
*Petasites fragrans* 99; *hybridus* 161  
*Petunia axillaris* × *integrifolia* (v.c. **H12**) 172; × *hybrida* (v.c. **H12**) 172  
*Peucedanum* 113, (key) 114, 119; *officinale* 114; *ostruthium* 114; *palustre* 114  
*Phacelia tanacetifolia* (v.c. **89**) 172, (v.c. **H12**) 172  
*Phalaris arundinacea* 35, 37  
*Photinia* 117  
*Phragmites* 185; *australis* 37, 38, 41  
*Phuopsis stylosa* (v.c. **62**) 173  
*Phygelis* 109; *capensis* (v.c. **62**) 94, (v.c. **63**) 94  
*Phytolacca acinosa* (v.c. **10**) 170  
*Picris hieracioides* 79  
*Pilosella officinarum* 79, subsp. *euronota* (v.c. **57**) 168, subsp. *officinarum* (v.c. **57**) 168, subsp. *trichosoma* (v.c. **57**) 168; *officinarum* × *aurantiaca* (v.c. **39**) 168; *praealta* subsp. *thaumasia* (v.c. **62**) 95; × *stolonifera* [(v.c. **39**)] 168  
*Pilularia globulifera* 38, 125, 126  
*Pimpinella major* (v.c. **H36**) 167  
*Pinguicula lusitanica* 184  
*Pittospermum tenuifolium* (v.c. **49**) 92  
*Plagiochila porelloides* 161  
Plant Records 85-96, 163-175  
*Plantago* 107, 109, 116; *lanceolata* 37, 161; *maritima* 37, 154, 155, 161  
*Platanthera* 116; *bifolia* 90, 105, 139; *chlorantha* 90, 105; *chlorantha* × *bifolia* (v.c. **46**) 90; × *hybrida* (v.c. **46**) 90  
*Poa angustifolia* 139; *humilis* 37; *infirmis* (v.c. **5**) 169  
*Polemonium caeruleum* (v.c. **101**) 167, 179  
*Polygala* 113; *serpyllifolia* 179  
*Polygonatum* × *hybridum* (v.c. **101**) 174; *multiflorum* × *odoratum* (v.c. **101**) 174  
*Polygonum boreale* (v.c. **101**) 165; *rurivagum* (v.c. **62**) 86  
*Polypodium interjectum* 139; *interjectum* × *cambricum* (v.c. **5**) 164; × *shivastiae* (v.c. **5**) 164  
*Polypogon maritimus* (v.c. **57**) 174; *viridis* (v.c. **41**) 95, (v.c. **49**) 95  
*Polypogon monspeliensis* × *Agrostis stolonifera* (v.c. **10**) 174  
*Polystichum munitum* (v.c. **62**) 90; *setiferum* 130, 136, 139  
*Populus alba* × *tremula* (v.c. **89**) 171; × *canescens* (v.c. **89**) 171; *trichocarpa* (v.c. **91**) 171, (v.c. **93**) 171  
*Potamogeton* 84; *acutifolius* 82, 83; *alpinum* 131; *bercholdii* 83, 84; *compressus* L. and *P. friesii* Rupr. The first British records of, 82-84; *friesii* Rupr. The first British records of *Potamogeton compressus* L. and, 82-84; *lucens* 139; *obtusifolius* 140; *pusillus* 84, 131, 140; × *salicifolius* 139; *trichoides* (v.c. **57**) 89; *zosterifolius* 82  
*Potentilla anglica* × *reptans* (v.c. **81**) 87; *argentea* 127; *erecta* 148, 155, subsp. *strictissima* (v.c. **62**) 165; × *mixta* (v.c. **81**) 87; *palustris* 37; *reptans* 127  
*Pratia pedunculata* (v.c. **62**) 94  
Presidential Address 2008 21-31  
Preston, C.D. - The first British records of *Potamogeton compressus* L. and *P. friesii* Rupr. 82-84  
Preston, C.D. - Rev. of *A Flora of Suffolk* (by M.N. Sanford & R.J. Fisk) 182-183  
Preston, C.D. - Rev. of *Exploring environmental history: selected essays* (by T.C. Smout) 177-178  
Preston, C.D., with M.C.F. Proctor - Publications of P.F. Yeo 193-198  
*Primula* 116; *denticulata* (v.c. **62**) 91; *elatior* 182; × *pruhonicensis* (v.c. **49**) 91, 'Wanda' (v.c. **63**) 91; *veris* 79; *vulgaris* 161  
Proctor, M.C.F. - Obit. of Peter Frederick Yeo (1929-2010) 192-193  
Proctor, M.C.F. & Preston, C.D. - Publications of P.F. Yeo 193-198

- Prunella vulgaris* 154, 161  
*Prunus domestica* 183, subsp. *insititia* (v.c. **89**) 166; *spinosa* 183  
*Pseudorchis* 116  
*Pseudotsuga menziesii* (v.c. **29**) 90  
*Psilurus* 105  
*Pteridium aquilinum* 90, 127, 161  
*Pterocarya fraxinifolia* (v.c. **41**) 91  
*Puccinellia distans* 135; *fasciculata* 91; *maritima* 135, 139  
*Pulicaria dysenterica* (v.c. **101**) 168  
*Pulmonaria obscura* 182  
*Pulsatilla vulgaris* Mill. in South Lincolnshire (v.c. 53). An over-looked population of, 79-81  
*Pyracantha* 117  
*Pyrola minor* 139, 165; *rotundifolia* subsp. *rotundifolia* (v.c. **80**) 165, (v.c. **89**) 165  
*Pyrus* 117, 118
- Ranunculus* 111-113; *alpestris* 112; *arvensis* (v.c. **41**) 86; *auricomus* 139; *circinatus* 135, 139; *ficaria* 37, 183; *flammula* 37; *glacialis* 112; *lingua* 139; *parviflorus* (v.c. **29**) 86; *peltatus* (v.c. **29**) 86, 139; *repens* 37; *sceleratus* 125; *thora* 112  
*Rapistrum rugosum* (v.c. **H36**) 171  
*Rhinanthus* 108  
*Rhododendron arboreum* (v.c. **52**) 91  
*Ribes odoratum* (v.c. **44**) 92; *uva-crispa* 182
- Rich, T.C.G. & McCosh, D.J. - Conservation status of two British members of *Hieracium* section *Alpestris*: *Hieracium mirandum* and *H. solum* (Asteraceae) 141-144  
Rich, T.C.G. & McCosh, D.J. - Taxonomy and conservation status of *Hieracium vinifolium* (including *H. kintyricum*), Claret-leaved Hawkweed (Asteraceae) 151-156  
Rich, T.C.G. & Wyse Jackson, M.B. - Lectotypification of *Hieracium scullyi* E.F. Linton (Asteraceae) 162  
Rich, T.C.G., McCosh, D.J., Sawtschuk, J. & Wyse Jackson, M.B. - Conservation of Ireland's biodiversity: the status of two Irish endemic hawkweeds *Hieracium hartii* and *H. hibernicum* (Asteraceae) 1-10  
Rich, T.C.G., McCosh, D.J. & Teesdale, I. - Conservation of Britain's biodiversity: status of *Hieracium thalassinum* (Asteraceae), Hairy-bracted Hawkweed 160-161
- Rich, T.C.G., with M. Shewring - Conservation of Britain's biodiversity: status of the Welsh endemic *Hieracium subminutidens*, Llanwrytyd Hawkweed (Asteraceae) 145-149  
Richards, A.J. - Rev. of *Flora of Great Britain and Ireland*, Vol. 3. Mimosaceae - Lentibulariaceae (by P.D. Sell & G. Murrell) 178-179  
Richards, A.J. - Rev. of *Flora of Great Britain and Ireland*, Vol. 4. Campanulaceae - Asteraceae (by P.D. Sell & G. Murrell) 100-101  
*Rorippa* 105, 111, 112; *islandica* (v.c. **47**) 87, (v.c. **49**) 87, (v.c. **101**) 165  
*Rosa* 116; *arvensis* 165; *arvensis* × *sherardii* (v.c. **37**) 165; *caesia* 166, subsp. *caesia* (v.c. **106**) 166; *caesia* × *tomentosa* (v.c. **58**) 166; *caesia* subsp. *vosagiaca* × *rubiginosa* (v.c. **109**) 166; *caesia* subsp. *vosagiaca* × *sherardii* (v.c. **106**) 166, (v.c. **109**) 166; *canina* 155, (v.c. **103**) 165, (v.c. **106**) 165; *canina* × *caesia* subsp. *caesia* (v.c. **110**) 165; *canina* × *caesia* subsp. *vosagiaca* (v.c. **13**) 166, (v.c. **106**) 166, (v.c. **109**) 166; *canina* × *micrantha* (v.c. **17**) 166, (v.c. **31**) 166; *canina* × *sherardii* (v.c. **36**) 166, (v.c. **109**) 166; *canina* × *tomentosa* (v.c. **13**) 166; ×*cottetii* (v.c. **58**) 166; ×*dumalis* (v.c. **110**) 165, (v.c. **13**) 166, (v.c. **106**) 166, (v.c. **109**) 166; *micrantha* 166; ×*molliformis* (v.c. **107**) 166; *mollis* 166; *mollis* × *rubiginosa* (v.c. **107**) 166; ×*perthensis* (v.c. **36**) 166, (v.c. **87**) 166, (v.c. **109**) 166; *pimpinellifolia* 139; ×*rothschildii* (v.c. **36**) 166, (v.c. **109**) 166; ×*scabriuscula* (v.c. **13**) 166; *sherardii* 165, 166; *sherardii* × *mollis* (v.c. **36**) 166, (v.c. **87**) 166, (v.c. **109**) 166; *sherardii* × *rubiginosa* (v.c. **107**) 166, (v.c. **109**) 166; *spinosissima* × *sherardii* (v.c. **37**) 165; ×*suberecta* (v.c. **107**) 166, (v.c. **109**) 166; ×*toddiae* (v.c. **17**) 166, (v.c. 31) 166; *tomentosa* 166
- Rostkovia* 53  
*Rubus* 116, 129, 134, 148; *adenanthoides* (v.c. **57**) 87; *chamaemorus* 184; *conjungens* (v.c. **62**) 165; *halsteadensis* (v.c. **62**) 165; *hindii* (v.c. **62**) 165; *latifolius* (v.c. **62**) 165; *odoratus* (v.c. **H36**) 171; *painteri* (v.c. **57**) 165; *saxatilis* 139; *tricolor* (v.c. **44**) 92, (v.c. **49**) 92  
*Rumex acetosa* 37; *acetosella* 37, 142; *conglomeratus* 130, 136, 139; *conglomeratus* × *sanguineus* (v.c. **39**) 86; *crispus* 37; *dentatus* (v.c. **55**) 170; *hydrolapathum* × *obtusifolius* (v.c. **29**) 86; ×*lingulatus* (v.c. **29**) 86; *maritimus* 130,

- 139; *obtusifolius* 37; *pseudoalpinus* (v.c. **39**) 86; *xruhmeri* (v.c. **39**) 86
- Ruscus* 192
- Ruta* 16
- Sagina maritima* 135; *nodosa* 139; *procumbens* 37
- Salix* 37, 142, 148, 183; *caprea* × *viminalis* 183; *cinerea* × *myrsinifolia* (v.c. **89**) 165; *herbacea* 143; *phylicifolia* 139; *purpurea* × *viminalis* (v.c. **89**) 165; *xrubra* (v.c. **89**) 165; *xstrepida* (v.c. **89**) 165
- Sanford, M.N. & Fisk, R.J. - *A Flora of Suffolk* (Bk Rev.) 182-183
- Sanguisorba minor* 79; *officinalis* 148
- Santolina chamaecyparissus* (v.c. **10**) 174
- Saponaria ocymoides* (v.c. **62**) 91
- Sarracenia purpurea* (v.c. **57**) 170
- Sawtschuk, J., with T.C.G. Rich *et al.* - Conservation of Ireland's biodiversity: the status of two Irish endemic hawkweeds *Hieracium hartii* and *H. hibernicum* (Asteraceae) 1-10
- Saxifraga* 106; *aizoides* 160; *cespitosa* 77; *hypnoides* 160; *tridactylites* 127, (v.c. **H36**) 165
- Scabiosa* 104; *columbaria* 79
- ×*Schedolium* 115
- Schedonorus* 115
- Schizostylis coccinea* (v.c. **101**) 175
- Schoenoplectus* 185; *lacustris* 37, 139; *tabernaemontani* 139
- Schoenus* 124
- Scilla bithynica* (v.c. **62**) 174
- Scleranthus annuus* 139
- Scorzoneroideis autumnalis* 100
- Scrophularia* 109; *umbrosa* 136
- Scutellaria galericulata* 37, 139
- Secale cereale* (v.c. **46**) 96
- Sedum forsterianum* (v.c. **89**) 165; *kamtschaticum* (v.c. **62**) 92; *rosea* 143; *spurium* (v.c. **93**) 171; *villosum* 131, 135, 136, 139
- Selaginella* 55; *kraussiana* (v.c. **H36**) 169; *selaginoides* 135, 139
- Sell, P.D. & Murrell, G. - *Flora of Great Britain and Ireland*, Vol. 3. Mimosaceae - Lentibulariaceae (Bk Rev.) 178-179
- Sell, P.D. & Murrell, G. - *Flora of Great Britain and Ireland*, Vol. 4. Campanulaceae - Asteraceae (Bk Rev.) 100-101
- Senecio* 100, 118; *aquaticus* 118; *cineraria* 118; *erucifolius* 118; *inaequidens* (v.c. **51**) 95, (v.c. **52**) 95, (v.c. **57**) 95, (v.c. **60**) 174; *jacobaea* 37, 79, 118, 161; *minimus* (v.c. **10**) 174; *paludosus* 118; *vernalis* (v.c. **H12**) 174
- Serapias* 116
- Setaria adhaerens* (v.c. **29**) 96
- Sherardia arvensis* 139
- Shewring, M. & Rich, T.C.G. - Conservation of Britain's biodiversity: status of the Welsh endemic *Hieracium subminutidens*, Llanwrytyd Hawkweed (Asteraceae) 145-149
- Sibthorpia* 109
- Silaum silaus* 139
- Silene acaulis* 59; *alba* 183; *dioica* 183
- Simethis* 108
- Sinapis alba* (v.c. **H36**) 165
- Sisymbrium* 115; *orientale* (v.c. **80**) 171
- Sisyrinchium bermudiana* (v.c. **39**) 96; *californicum* (v.c. **63**) 96, 169; *montanum* (v.c. **67**) 175
- Sixalix* 104; *atropurpurea* 104
- Smout, T.C. - *Exploring environmental history: selected essays* (Bk Rev) 177-178
- Solanum physalifolium* (v.c. **44**) 93, (v.c. **62**) 172
- Soleirolia soleirolii* (v.c. **80**) 170, (v.c. **101**) 170
- Solidago canadensis* (v.c. **81**) 95; *virgaurea* 8, 142, 148, 155, 161
- Sonchus tenerrimus* (v.c. **18**) 94
- Sorbus* 107, 117-119, 181; *aria* × *aucuparia* 118; *aria* × *torminalis* 118; *aucuparia* 118; *commixta* (v.c. **63**) 92; *domestica* 118; 'Pearly King' (v.c. **63**) 92; *rupicola* 90; *xthuringiaca* 118; *xtoментella* 118; *torminalis* 118; *xvagensis* 118; *vilmorinii* (v.c. **62**) 92
- Sparganium* 106, 185; *emersum* 135, 139
- Spergularia marina* 21-24, (map) 23, (diag.) 25, 30, 135; *media* 139; *rubra* 131, 135, 140
- Sphagnum* 125
- Spiraea xarguta* (v.c. **57**) 171; *multiflora* × *thunbergii* (v.c. **57**) 171
- Spiranthes romanoffiana* (v.c. **75**) 90, 98, 169, (v.c. **101**) 169, (v.c. **H27**) 169
- Stace, C.A. - Classification by molecules: what's in it for field botanists? 103-122
- Stachys palustris* 37
- Stellaria graminea* 37; *nemorum* (v.c. **93**) 164; *palustris* 139

- Stranvaesia* 117  
*Succisa pratensis* 5, 8, 37, 79, 142, 161  
 Suffolk. A *Flora of Suffolk* (by M.N. Sanford & R.J. Fisk) (Bk Rev.) 182-183  
*Sutera* 109; *cordata* (v.c. **H12**) 172  
*Symphytum tuberosum* (v.c. **H36**) 167
- Taraxacum* 101, 129, 154, 181; *aequilobum* (v.c. **62**) 94; *ceratolobum* (v.c. **89**) 167; *chloroticum* (v.c. **62**) 173; *coartatum* (v.c. **62**) 95; *cophocentrum* (v.c. **62**) 167; *cymbifolium* (v.c. **89**) 167; *densilobum* (v.c. **62**) 173; *excellens* (v.c. **62**) 167; *exsertiforme* (v.c. **62**) 94; *falcatum* (v.c. **62**) 173; *haematicum* (v.c. **67**) 167; *hamiferum* (v.c. **62**) 88; *interveniens* (v.c. **62**) 94; *intumescens* (v.c. **89**) 173; *lacerifolium* (v.c. **62**) 94; *leptodon* (v.c. **62**) 173; *longisquameum* (v.c. **62**) 168; *obliquilobum* (v.c. **62**) 173; *officinale* agg. 37, 79; *pachymerum* (v.c. **62**) 173; *pannulatatum* (v.c. **62**) 95; *piceatum* (v.c. **89**) 173; *porrigens* (v.c. **62**) 173; *procerisquameum* (v.c. **62**) 173; *pruinatum* (v.c. **62**) 88; *pseudoretroflexum* (v.c. **62**) 95; *richardsianum* (v.c. **67**) 167; *stenacrum* (v.c. **62**) 88; *sublongisquameum* (v.c. **62**) 173; *subundulatum* (v.c. **62**) 88; *trilobatum* (v.c. **62**) 173; *valens* (v.c. **62**) 173
- Teesdale, I., with T.C.G. Rich & D.J. McCosh - Conservation of Britain's biodiversity: status of *Hieracium thalassinum* (Asteraceae), Hairy-bracted Hawkweed 160-161
- Teesdalia* 115; *nudicaulis* 127  
*Tellima grandiflora* (v.c. **47**) 92, (v.c. **48**) 92, (v.c. **55**) 171
- Tennant, D.J. - The British records of *Cystopteris alpina* (Lamarck) Desvaux; Woodsiaceae 57-63
- Teucrium scorodonia* 155  
*Thalictrum flavum* (v.c. **67**) 164  
*Thlaspi* 115, 119; *alliaceum* 115; *arvense* 115; *caerulescens* 115; *macrophyllum* 115; *perfoliatum* 115  
*Thuja plicata* (v.c. **50**) 90  
*Thymus polytrichus* 79, 142, 155, 161; *serpyllum* 182  
*Tofieldia* 108  
*Tolmiea menziesii* (v.c. **52**) 92  
*Torilis arvensis* (v.c. **10**) 167  
*Tormalis* 117, 118  
*Trichomanes speciosum* (v.c. **H36**) 164
- Trifolium* 179; *glomeratum* (v.c. **57**) 87; *micranthum* (v.c. **91**) 166, (v.c. **93**) 166; *nigrescens* (v.c. **57**) 92; *occidentale* 179; *ochroleucon* 182; *pannonicum* (v.c. **H12**) 171; *repens* 37, 179; *resupinatum* (v.c. **57**) 92; *suffocatum* (v.c. **57**) 87; *tomentosum* (v.c. **57**) 92
- Triglochin maritimum* 37, 139; *palustre* 37  
*Tristagma uniflorum* (v.c. **35**) 96  
 ×*Triticosecale* 21, 28  
*Triticum aestivum* (v.c. **52**) 96  
*Trollius* ×*cultorum* (v.c. **63**) 90; *europaeus* 133, 139
- Tropaeolum majus* (v.c. **101**) 172  
*Tsuga heterophylla* (v.c. **29**) 90  
*Tuberaria guttata* 99  
*Turgenia latifolia* 157  
*Typha* 106, 185; ×*glauca* (v.c. **57**) 90; *latifolia* 37, 41; *latifolia* × *angustifolia* (v.c. **57**) 90
- Ulex gallii* 140, 179  
*Ulmus glabra* × *minor* (v.c. **52**) 86; ×*vegeta* (v.c. **52**) 86  
*Utricularia intermedia* 185; *minor* (v.c. **89**) 167; *stygia* (v.c. **101**) 167
- V.c. 25. A *Flora of Suffolk* (by M.N. Sanford & R.J. Fisk) (Bk Rev.) 182-183  
 V.c. 26. A *Flora of Suffolk* (by M.N. Sanford & R.J. Fisk) (Bk Rev.) 182-183  
 V.c. 28. *Flowers of the Norfolk Broads* (by S. Harrap) (Bk Rev.) 185  
 V.c. 53. An over-looked population of *Pulsatilla vulgaris* Mill. in South Lincolnshire (v.c. 53) (by R.G. Jefferson & K.J. Walker) 79-81  
 V.c. 81. Berwickshire's disappearing scarce plants (by M.E. Braithwaite) 129-140  
 V.c. H36. *Flora of County Tyrone* (by I. McNeill (with P. Hackney)) (Bk Rev.) 183-184  
*Vaccinium myrtillus* 135, 143, 148; *oxycoccus* 140  
*Valeriana officinalis* 37; *pyrenaica* (v.c. **46**) 94  
*Valerianella locusta* 140  
*Veratrum* 116  
*Verbascum* 109; *bombyciferum* (v.c. **62**) 94; ×*brockmuelleri* (v.c. **45**) 88; *nigrum* × *phlomoides* (v.c. **45**) 88; *thapsus* 26, (diag.) 26, 30  
*Verbena bonariensis* (v.c. **57**) 93  
*Veronica* 103, 108, 109, 116; *anagallis-aquatica* 136; *catenata* 140; *filiformis* 27, 28, 30; *fruticans* 77; ×*lackschewitzii* 140; *polita* 135, 140, (v.c. **101**) 172; *praecox* 179

- Viburnum opulus* 136, 140
- Vicia faba* (v.c. **44**) 92; *lathyroides* 140; *orobus* 140; *sativa* subsp. *segetalis* 135, 140; *sylvatica* 160, 161
- Vinca minor* [(v.c. **48**)] 88
- Viola* ×*bavarica* (v.c. **39**) 87; *hirta* 79; *lactea* 99; *palustris* 37; *riviniana* 143, 155, 161; *riviniana* × *reichenbachiana* (v.c. **39**) 87; *tricolor* 140
- Viscum album* (v.c. **89**) 166
- Vulpia* sect. *Loretia* 105; *bromoides* 105; *ciliata* 105; *fasciculata* 105; *fontqueriana* 105; *membranacea* 105; *muralis* 105; *myuros* 105
- Walker, K.J., with R.G. Jefferson - An overlooked population of *Pulsatilla vulgaris* Mill. in South Lincolnshire (v.c. 53) 79-81
- Walpole, Michael, (1933-2009) (Obit.) 187-189, (illus.) 188
- Ward, L.K. - Variation in ripening years of seed cones of *Juniperus communis* L. 11-19
- Wilcox, M. - A novel approach to the determination and identification of *Juncus* ×*diffusus* Hoppe and *J.* ×*kern-reichgeltii* Jansen & Wacht. ex Reichg. 43-56
- Wyse Jackson, M.B., with T.C.G. Rich - Lectotypification of *Hieracium scullyi* E.F. Linton (Asteraceae) 162
- Wyse Jackson, M.B., with T.C.G. Rich *et al.* - Conservation of Ireland's biodiversity: the status of two Irish endemic hawkweeds *Hieracium hartii* and *H. hibernicum* (Asteraceae) 1-10
- Yeo, Peter Frederick, (1929-2010) (Obit.) 192-193, Publications of, 193-198
- Zantedeschia aethiopica* (v.c. **57**) 95
- Zostera angustifolia* 100









## CONTENTS

RICH, T. C. G., MCCOSH, D. J., SAWTSCHUK, J. & WYSE JACKSON, M. B. Conservation of Ireland's Biodiversity: the status of two Irish endemic hawkweeds <i>Hieracium hartii</i> and <i>H. hibernicum</i> (Asteraceae) ... ..	1–10
WARD, L. K. Variation in ripening years of seed cones of <i>Juniperus communis</i> L.	11–19
BRAITHWAITE, M. E. Presidential Address: How well has B.S.B.I. chronicled the spread of neophytes? ... ..	21–31
DEAN, M. & ASHTON, P. A. Ecology, distribution and fertility of <i>Carex recta</i> Boott (Cyperaceae) in the British Isles ... ..	33–42
WILCOX, M. A novel approach to the determination and identification of <i>Juncus</i> × <i>diffusus</i> Hoppe and <i>J.</i> × <i>kern-reichgeltii</i> Jansen & Wacht. ex Reichg.	43–56
TENNANT, D. J. The British records of <i>Cystopteris alpina</i> (Lamarck) Desvoux: Woodsiaceae ... ..	57–63
GEDDES, C. & MILLER, C. R. Long-term changes in the size of an Alpine Gentian, <i>Gentiana nivalis</i> L., population in Scotland ... ..	65–73
FOLEY, M. J. Y. Further notes on some of J. H. Penson's Scottish records ... ..	75–77
NOTES	
Jefferson, R. G. & Walker, K. J. An over-looked population of <i>Pulsatilla vulgaris</i> Mill. in South Lincolnshire (v.c. 53) ... ..	79–81
Preston, C. D. The first British records of <i>Potamogeton compressus</i> L. and <i>P. friesii</i> Rupr. ... ..	82–84
PLANT RECORDS ... ..	85–96
BOOK REVIEWS ... ..	97–101
STACE, C. A. Classification by molecules: What's in it for field botanists? ... ..	103–122
EDGINGTON, J. A. The first British record of <i>Nardus stricta</i> L. (Poaceae) ... ..	123–127
BRAITHWAITE, M. E. Berwickshire's disappearing scarce plants ... ..	129–140
RICH, T. C. G. & MCCOSH, D. J. Conservation status of two British members of <i>Hieracium</i> section <i>Alpestris</i> : <i>Hieracium mirandum</i> and <i>H. solum</i> (Asteraceae)	141–144
SHEWRING, M. & RICH, T. C. G. Conservation of Britain's biodiversity: status of the Welsh endemic <i>Hieracium subminutidens</i> , Llanwrytyd Hawkweed (Asteraceae) ... ..	145–149
RICH, T. C. G. & MCCOSH, D. J. Taxonomy and conservation status of <i>Hieracium vinifolium</i> (including <i>H. kintyricum</i> ), Claret-leaved Hawkweed (Asteraceae)	151–156
NOTES	
Pearman, D. A. <i>Caucalis platycarpus</i> – a vanished archaeophyte ... ..	157–159
Godfrey, M. F. A chromosome number for <i>Cochlearia atlantica</i> Pobed. ... ..	159
Rich, T. C. G., McCosh, D. J. & Teesdale, I. Conservation of Britain's biodiversity: status of <i>Hieracium thalassinum</i> (Asteraceae), Hairy-bracted Hawkweed ... ..	160–161
Rich, T. C. G. & Wyse Jackson, M. B. Lectotypification of <i>Hieracium scullyi</i> E. F. Linton (Asteraceae) ... ..	162
PLANT RECORDS ... ..	163–175
BOOK REVIEWS ... ..	177–185
OBITUARIES ... ..	187–198



3 9088 01759 1108